

**ES EPG/HPG 60 HEX 95****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Similar to illustration****Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts**

- extremely fast processing thanks to hydraulic support
- large processing range up to 300 mm<sup>2</sup>
- 270° revolving quick-action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB
- Li-ion rechargeable battery with charge status indicator: 18 V, 2 Ah

**General ordering data**

Version	Crimping tool insert, Hexagonal crimp
Order No.	<a href="#">2505220000</a>
Type	ES EPG/HPG 60 HEX 95
GTIN (EAN)	4050118519563
Qty.	1 pc(s).

## ES EPG/HPG 60 HEX 95

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Technical data

### Dimensions and weights

Depth	22 mm	Depth (inches)	0.866 inch
Height	42 mm	Height (inches)	1.654 inch
Width	42 mm	Width (inches)	1.654 inch
Net weight	135 g		

### Crimp inserts

Crimp cross-section aluminium	70	Crimp cross-section copper	95
Crimping width	5 mm	Crimping width in mm	5
Identification number	18		

### Description of contact

Conductor cross-section, max. AWG	3/0	Type of contact	DIN 46235 cable lug, DIN 46267 Part 1 cable lug
-----------------------------------	-----	-----------------	---

### tool data crimping

Cable lug cross section	nominal	95 mm <sup>2</sup>
Crimping type/profile	Hexagonal crimp	

### Classifications

ETIM 6.0	EC001282	ETIM 7.0	EC001282
ETIM 8.0	EC001282	ETIM 9.0	EC001282
ETIM 10.0	EC001282	ECLASS 9.0	21-04-90-90
ECLASS 9.1	21-01-90-90	ECLASS 10.0	21-04-90-90
ECLASS 11.0	21-04-90-90	ECLASS 12.0	21-04-90-90
ECLASS 13.0	21-04-90-90	ECLASS 14.0	21-04-90-90
ECLASS 15.0	21-04-90-90		

### Environmental Product Compliance

RoHS Compliance Status	Compliant without exemption
REACH SVHC	No SVHC above 0.1 wt%

### Downloads

Catalogues	<a href="#">Catalogues in PDF-format</a>
------------	--

## ES EPG/HPG 60 HEX 95

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

www.weidmueller.com

## Accessories

### Tools



#### Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts

- extremely fast processing thanks to hydraulic support
- large processing range up to 300 mm<sup>2</sup>
- 270° revolving quick-action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB
- Li-ion rechargeable battery with charge status indicator: 18 V, 2 Ah

#### General ordering data

Type	EPG 60	Version
Order No.	<a href="#">2453810000</a>	Pressing tools, Tools, Pressing tool, 6mm <sup>2</sup> , 300mm <sup>2</sup> , Hexagonal crimp,
GTIN (EAN)	4050118468434	WM crimp, Indent crimp, Trapezoidal crimp, Oval crimping
Qty.	1 pc(s).	

### 95 mm<sup>2</sup>



#### The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

#### General ordering data

Type	KP-M16/-95	Version
Order No.	<a href="#">1498220000</a>	cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118307719	
Qty.	50 pc(s).	
Type	KP-M10/-95	Version
Order No.	<a href="#">1498190000</a>	cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118307603	
Qty.	50 pc(s).	
Type	KP-M14/-95	Version
Order No.	<a href="#">1498520000</a>	cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118307863	
Qty.	50 pc(s).	
Type	KP-M20/-95	Version
Order No.	<a href="#">1498230000</a>	cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118307634	
Qty.	50 pc(s).	

Creation date May 6, 2025 6:40:04 AM CEST

## ES EPG/HPG 60 HEX 95

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

Type	KP-M8/-95	Version	
Order No.	<a href="#">1498180000</a>		cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118307498		
Qty.	50 pc(s).		
Type	KP-M12/-95	Version	
Order No.	<a href="#">1498210000</a>		cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118307610		
Qty.	50 pc(s).		

### 95 mm<sup>2</sup>



**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

### General ordering data

Type	KQN-M10/-95	Version	
Order No.	<a href="#">1493270000</a>		cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118303018		
Qty.	25 pc(s).		
Type	KQN-M16/-95	Version	
Order No.	<a href="#">1493290000</a>		cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118303025		
Qty.	25 pc(s).		
Type	KQN-M8/-95	Version	
Order No.	<a href="#">1493260000</a>		cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118303162		
Qty.	25 pc(s).		
Type	KQN-M12/-95	Version	
Order No.	<a href="#">1493280000</a>		cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118302899		
Qty.	25 pc(s).		
Type	KQN-M20/-95	Version	
Order No.	<a href="#">1493310000</a>		cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118303407		
Qty.	25 pc(s).		

## ES EPG/HPG 60 HEX 95

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

## Accessories

95 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M10/-95 45	Version	
Order No.	<a href="#">1496350000</a>	Version	cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118306125		
Qty.	25 pc(s).		
Type	KWN-M8/-95 45	Version	
Order No.	<a href="#">1496340000</a>	Version	cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118305821		
Qty.	25 pc(s).		
Type	KWN-M12/-95 45	Version	
Order No.	<a href="#">1496370000</a>	Version	cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118305890		
Qty.	25 pc(s).		
Type	KWN-M16/-95 45	Version	
Order No.	<a href="#">1496380000</a>	Version	cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118305838		
Qty.	25 pc(s).		

95 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWPN-M8/-95 90	Version	
Order No.	<a href="#">1497690000</a>	Version	cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118307207		
Qty.	25 pc(s).		

## ES EPG/HPG 60 HEX 95

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

## Accessories

Type	KWPN-M16/-95 90	Version
Order No.	<a href="#">1497730000</a>	cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118307054	
Qty.	25 pc(s).	
Type	KWPN-M10/-95 90	Version
Order No.	<a href="#">1497710000</a>	cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118307139	
Qty.	25 pc(s).	
Type	KWPN-M12/-95 90	Version
Order No.	<a href="#">1497720000</a>	cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118307214	
Qty.	25 pc(s).	

### 95 mm<sup>2</sup>



**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

### General ordering data

Type	KRN-M14/-95	Version
Order No.	<a href="#">1495780000</a>	cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118305555	
Qty.	25 pc(s).	
Type	KRN-M12/-95	Version
Order No.	<a href="#">1495620000</a>	cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118305265	
Qty.	25 pc(s).	
Type	KRN-M20/-95	Version
Order No.	<a href="#">1495640000</a>	cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118305319	
Qty.	25 pc(s).	
Type	KRN-M8/-95	Version
Order No.	<a href="#">1495600000</a>	cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118305241	
Qty.	25 pc(s).	
Type	KRN-M6/-95	Version
Order No.	<a href="#">1495820000</a>	cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118305531	
Qty.	25 pc(s).	
Type	KRN-M10/-95	Version
Order No.	<a href="#">1495610000</a>	cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118305371	
Qty.	25 pc(s).	

Creation date May 6, 2025 6:40:04 AM CEST

## ES EPG/HPG 60 HEX 95

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

## Accessories

Type	KRN-M16/-95	Version	
Order No.	<a href="#">1495630000</a>		cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118305326		
Qty.	25 pc(s).		

95 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VPN/-95	Version	
Order No.	<a href="#">1498680000</a>		cable lug, terminal end,95 mm <sup>2</sup> ,95 mm <sup>2</sup>
GTIN (EAN)	4050118307917		
Qty.	50 pc(s).		

95 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VPLN/-95	Version	
Order No.	<a href="#">1492950000</a>		cable lug, terminal end,95 mm <sup>2</sup> ,95 mm <sup>2</sup>
GTIN (EAN)	4050118302622		
Qty.	50 pc(s).		

## ES EPG/HPG 60 HEX 95

Weidmüller Interface GmbH & Co. KG  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

www.weidmueller.com

## Accessories

95 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KSN/-95	Version	
Order No.	<a href="#">1492840000</a>		cable lug, terminal end,95 mm <sup>2</sup> ,95 mm <sup>2</sup>
GTIN (EAN)	4050118302790		
Qty.	25 pc(s).		

95 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VSTN/-95	Version	
Order No.	<a href="#">1494770000</a>		cable lug, terminal end,95 mm <sup>2</sup> ,95 mm <sup>2</sup>
GTIN (EAN)	4050118304220		
Qty.	50 pc(s).		

## ES EPG/HPG 60 HEX 95

Weidmüller Interface GmbH & Co. KG  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

www.weidmueller.com

## Accessories

95 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KRN-M10/-95 S	Version	
Order No.	<a href="#">1494900000</a>		cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118304398		
Qty.	25 pc(s).		
Type	KRN-M12/-95 S	Version	
Order No.	<a href="#">1494910000</a>		cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118304510		
Qty.	25 pc(s).		
Type	KRN-M8/-95 S	Version	
Order No.	<a href="#">1494890000</a>		cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118304121		
Qty.	25 pc(s).		
Type	KRN-M6/-95 S	Version	
Order No.	<a href="#">1494430000</a>		cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118303957		
Qty.	25 pc(s).		

95 mm<sup>2</sup>

**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KWN-M10/-95 90	Version	
Order No.	<a href="#">1496090000</a>		cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118305692		
Qty.	25 pc(s).		

## ES EPG/HPG 60 HEX 95


**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

## Accessories

Type	KWN-M14/-95 90	Version	
Order No.	<a href="#">1494670000</a>		cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118304411		
Qty.	25 pc(s).		
Type	KWN-M16/-95 90	Version	
Order No.	<a href="#">1496110000</a>		cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118305678		
Qty.	25 pc(s).		
Type	KWN-M8/-95 90	Version	
Order No.	<a href="#">1496080000</a>		cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118305685		
Qty.	25 pc(s).		
Type	KWN-M12/-95 90	Version	
Order No.	<a href="#">1496100000</a>		cable lug, terminal end,95 mm <sup>2</sup>
GTIN (EAN)	4050118305487		
Qty.	25 pc(s).		

## 95 mm<sup>2</sup>



**The use of insulated connectors guarantees users consistent electrical connection quality in the long term.**

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VSTN/95	Version	
Order No.	<a href="#">1493090000</a>		cable lug, terminal end,95 mm <sup>2</sup> ,95 mm <sup>2</sup>
GTIN (EAN)	4050118302929		
Qty.	50 pc(s).		

## ES EPG/HPG 60 HEX 95

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

## Accessories

### Tools



#### **Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts**

- extremely fast processing thanks to hydraulic support
- large processing range up to 400 mm<sup>2</sup>
- 360° revolving quick action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- Additional features for APG series:
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB

#### General ordering data

Type	HPG 60	Version
Order No.	<a href="#">2453820000</a>	6mm <sup>2</sup> , 300mm <sup>2</sup> , Hexagonal crimp, WM crimp, Indent crimp,
GTIN (EAN)	4050118468427	Trapezoidal crimp, Oval crimping
Qty.	1 pc(s).	